

Amendments to the claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

β1
Claim 1 (currently amended): Apparatus for applying negative pressure therapy to a wound site, which comprises an open celled foam pad for application to the wound, a suction tube connecting the foam pad to a collection canister, said canister having a shut-off valve which closes the outlet from the canister when it is full, a tube ~~for~~ connecting the canister to a wall suction point or to a vacuum bottle, and a pressure ~~detecting means~~ detector connected to the suction tube between the foam pad and the canister for indicating when the pressure in the suction tube ~~falls below~~ crosses a predetermined level.

Claim 2 (original): Apparatus as claimed in claim 1 which includes a flow limiting valve disposed between the canister and the suction source.

Claim 3 (previously amended): Apparatus as claimed in claim 1 which includes a pressure relief valve which is connected to the suction tube between the foam pad and the canister.

Claim 4 (currently amended) ~~A modification of the apparatus~~ Apparatus as claimed in claim 1, further comprising ~~which includes~~ a first transducer for measuring pressure in the a-tube linking the canister to the wall suction point or to a vacuum bottle, and wherein the pressure

detector connected to the suction tube between the foam pad and the canister comprises a second
~~transducer for measuring pressure at the wound site.~~

Claim 5 (currently amended): Apparatus as claimed in claim 1 which includes a flow
~~rate measuring means meter~~ for measuring the rate at which fluid is sucked from the wound site.

Claim 6 (currently amended): Apparatus as claimed in claim ~~6~~5 in which the flow rate
~~measuring means meter measures comprises a device for measuring~~ the rate at which the canister
is filled.

Claim 7 (currently amended): Apparatus as claimed in claim 6 in which the flow rate
~~measuring means meter~~ is an electrical capacitance measuring device.

Claim 8 (currently amended): Apparatus for applying negative pressure therapy to a
wound site, which comprises an open-celled foam pad for application to the wound, a suction
tube connecting the foam pad to a collection canister, a tube ~~for~~ connecting the canister to a wall
suction point or a vacuum bottle and a sensor operable to detect ~~means for sensing~~ when the
canister is full.

Claim 9 (original): Apparatus according to claim 8 which includes means for giving a
warning that the canister is full and/or shutting off the connection between the canister and the
wall suction point.

Claim 10 (previously amended): Apparatus according to claim 8 which further includes means for monitoring pressure at the wound site.

Claim 11 (original): Apparatus according to claim 8 which further includes means for regulating pressure between the canister and the suction source.

Claim 12 (new): Apparatus as claimed in claim 1 in which the pressure detector comprises a transducer connected by a branch tube to the suction tube leading from the foam pad to the canister.

Claim 13 (new): Apparatus as claimed in claim 3, further comprising a processor operationally coupled to the relief valve and programmed to provide intermittent negative pressure therapy to the wound site.

Claim 14 (new): Apparatus for applying negative pressure therapy to a wound site, the apparatus comprising:

- an open-celled foam pad for application to the wound;
- a suction tube connecting the foam pad to a collection canister;
- a tube for connecting the canister to a wall suction point or a vacuum bottle;
- a pressure regulator connected the tube for connecting the canister to said wall suction point or vacuum bottle; and
- a processor in electronic communication with the pressure regulator to regulate the pressure from said wall suction point or vacuum bottle.

Claim 15 (new): The apparatus of claim 14, wherein the pressure regulator includes a relief valve, and wherein the processor is configured to actuate the relief valve to relieve pressure at the wound site when pressure at the wound site reaches a set maximum pressure.

11